



AOPATM

New!
TOP OFF YOUR PLANE
& **YOUR WALLET**
with the AOPA World Mastercard[®],
the best card for pilots.

2%
CASH BACK¹

- FBOs
- Aviation & auto fuel
- Ridesharing & taxis

Visit
AOPA.org/creditcard
to learn more

*Certain points and purchases restrictions apply, see full Rewards Terms and Conditions for full details at AOPA.org/creditcard.

¹ Rewards points can be redeemed for Cash Back or other items provided through AOPA Pilot Rewards. A Cash Back redemption is applied as a statement credit. The statement credit will reduce your balance but you are still required to make at least your minimum payment. A minimum of 2,500 points is needed to redeem for Cash Back. Values for non-cash back redemption items such as merchandise, gift cards, and travel may vary.

P&E | SAVVY MAINTENANCE



Savvy Maintenance coverage
sponsored by **AIRCRAFT SPRUCE**

OPINION |

Have a test-pilot mindset

What to do when you pick up your aircraft from the shop

BY MIKE BUSCH



MY COMPANY EMPLOYS 14 A&P mechanics, 11 of whom are seasoned IAs with decades of general aviation maintenance experience. The other day, a client asked one of them what he should look for during the preflight immediately following an annual inspection. The IA decided it might be useful to create a post-maintenance checklist for owners, so he posed the client's question to our whole group. A vigorous discussion ensued.

Many owners incorrectly assume that when an aircraft completes its annual inspection, it has been thoroughly scrutinized by well-trained eyes and can be depended upon to be in condition for safe flight. Mechanics know better. The first flight after maintenance is by far the most likely time for something to go wrong with the aircraft. After all, it has just been partially disassembled, inspected, and then

reassembled. While the inspection process is intended to uncover discrepancies, the reassembly process is vulnerable to human error.

OBVIOUS STUFF

Our group started tossing out ideas about what owners should look for after maintenance—in addition to their usual preflight items. Initially, the discussion focused on the obvious maintenance-induced failures that are often seen after annuals. Owners should always be on the lookout for loose or missing inspection plates, panels, and fairings, and for missing screws used to attach them. Cowling fasteners should be checked to make sure they're all latched, and that nose bowl screws are in place.

Flight controls should always be checked for free and correct movement from stop to stop to ensure there's no

interference or rubbing. Seats should be checked for security, ensuring that they are properly mounted to the seat rails with seat stops in place. Shine a flashlight into the cowling air inlets—ensure there's nothing loose on top of the engine and that all flexible baffle seals are oriented properly to point upward or forward. (It's easy for these to get misoriented when the cowling is reinstalled.)

Check the fuel level, preferably by "sticking the tank." Pull the dipstick and check the oil level. Drain fuel from all sump drains into a clear container and make sure no water or particulate matter is present. Do another walk-around looking for any signs of hangar rash and anything that doesn't look quite right. Verify security of baggage doors, oil filler doors, and anything else that should be closed and latched.

START AND RUNUP

Time to climb into the cockpit. Check that all electrical switches are off and that all pullable circuit breakers are pushed in. Turn on the master switch and check the bus voltage if you have a voltmeter installed, making sure the battery voltage is correct (typically 12 or 24 volts). The ammeter should show a very small discharge.

Start the engine and make sure oil pressure comes up promptly into the green arc. (If you don't see oil pressure starting to come up within 10 to 15 seconds, shut down the engine and call the mechanic.) Make sure the engine idles smoothly with the throttle pulled all the way back. If you have an engine monitor, verify on the exhaust gas temperature display that all cylinders are combusting. Let the engine idle until you see oil and cylinder head temperature starting to rise. Then lean the engine to maximum rpm (or leaner). Power up the avionics and make sure everything lights up properly and nothing smells wrong.

As you start your taxi, tap the brakes to verify they're working. Do a few shallow S-turns on the ground to check steering and that the turn-and-slip indicator or turn coordinator are working properly. Also check the attitude indicator to make sure it has erected properly, and the directional gyro or horizontal situation indicator to

Real hearing protection.
TSO certified.



The Pro Plus.

Clarity Aloft® Aviation Headsets

www.clarityaloft.com



FAA TEST
PREP
& CFI
RENEWAL

CFI RENEWAL: LIVE OR ONLINE
RENEWAL INCLUDED

LIVE (\$225):
175+ LIVE LOCATIONS PER YEAR

ONLINE (\$125):
100% VIDEO - DYNAMIC CONTENT
100% SATISFACTION GUARANTEE

TEST PREP (\$429):
PVT, COMM, IFR, CFII
700+ LIVE LOCATIONS PER YEAR

**100% GUARANTEED TO
PASS FAA EXAM**

AVIATION SEMINARS
SINCE 1974 • 800-357-9444
AVIATIONSEMINARS.COM

Sigtronics Transcom II Portable Intercom

- ❖ Push-To-Talk Switch Inputs for Pilot and Copilot
- ❖ Music Input for CD or MP3 Player
- ❖ Audio Output for Recording ATC Flight Dialog
- ❖ Operates Up to 40 Hours on one 9-Volt Battery
- ❖ Five Year Warranty
- ❖ Available in 2, 4, 6, 8, and 10 Place Versions



Sigtronics Corporation

909 305-9399 • www.sigtronics.com
178 East Arrow Highway, San Dimas, CA 91773

P&E | SAVVY MAINTENANCE

verify proper heading information as you turn during taxi-out.

At the runup area, do an extra-thorough preflight runup with a suspicious mindset. Verify that the brakes are holding well, and the brake pedals feel firm and not spongy. The magneto check should be perfect, with no signs of roughness during single-magneto operation. Cycle the propeller (if applicable) and verify that it responds promptly. Verify that all engine and electrical instruments have normal in-the-green indications, and all flight instruments also look normal.

Prior to takeoff, recheck that flight control movement is free and correct throughout its range. Set flap and trim positions for takeoff, mindful that they may have been disturbed during maintenance.

TEST FLIGHT

The first flight after maintenance needs to be treated as a test flight, and performed with a test pilot's mindset. It should always be performed in good day VFR conditions

and without passengers (except, perhaps, your A&P, if he's willing to ride along). Prepare yourself for something to go wrong. In fact, expect something to go wrong.

If you're flying a piston airplane, be spring-loaded to abort the takeoff if anything looks, sounds, feels, or smells wrong during your takeoff roll. Never take a problem into the air if you can avoid it. (Things are a bit different for jets, where rejected takeoffs can be risky.)

On the first flight after an annual inspection or any other sort of invasive maintenance (e.g., a cylinder change), it's a good idea to make a few circles near the airport before departing the vicinity to ensure you can put the airplane back on the ground quickly in the event anything goes wrong. (You *are* expecting something to go wrong on this flight, right?)

Take note of oil pressure, oil temperature, cylinder head temperatures, and (if applicable) turbine inlet temperature. Check the ammeter (and voltmeter if you have one), as well. Try flying with hands and

feet off the flight controls and ensure that the airplane flies straight. Exercise the avionics—especially the autopilot—and make sure everything that was working before the airplane went into the shop still works. If any engine or electrical indications, flight characteristics, or avionics functionality aren't what you're accustomed to seeing, return to the shop.

As a general proposition, if you leave the shop and encounter any sort of anomaly that you consider significant, execute a one-eighty and fly back so your mechanic can investigate. Few things frustrate mechanics more than owners who fly home and then call to report a problem with the airplane, when they could have just as easily turned around and let the mechanic rectify the problem.

TIMING IS EVERYTHING

In that spirit, always pick up your airplane during the shop's business hours, never at night or on a weekend or holiday when the shop is closed. That way, if you find

90 |

FLIGHT TIME INSTEAD OF SHOP TIME



Meet skyBeacon, the first truly easy to install 2020 compliant ADS-B solution. skyBeacon installs in less than 10 minutes using existing position light mounting and wiring. No new transponder, panel mods, or second mortgage required.



skyBeacon
uavionix.com/products/skybeacon

TITLE SEARCHES  ESCROW SERVICES

AOPA MEMBER 10% DISCOUNT

Expedite the purchase or sale of your aircraft with our \$95 AOPA Title Search Package. We also offer all AOPA members a 10% discount on escrow services. Visit www.aerospacereports.com to learn how Aero-Space Reports can help your aircraft transaction take off smoothly.

\$95 Title Search Package

- FAA Title Search
- Accident and Incident Report
- Complete Aircraft Records

Escrow Services

10% Off

www.aerospacereports.com




AERO-SPACE REPORTS
Aircraft Title & Escrow Services
www.aerospacereports.com

STRATEGIC PARTNER

P&E | SAVVY

something wrong during your preflight or your post-maintenance test flight, your mechanic will be available to fix it then and there. Pickup should be early enough in the day that if you encounter a problem on the flight home, you'll have the option to fly back to the shop to get it resolved.

Don't pick up your airplane on a Friday if you can avoid it. Things tend to get frantic at maintenance shops on Friday afternoons. That's when everyone else wants to pick up their airplane so they can have it for the weekend. (This goes triple if it's a holiday weekend.) Mechanics tend to be under lots of pressure on Friday afternoons to button up airplanes and get them out the door, with lots of distractions caused by customers arriving and departing, so the likelihood of mechanic mistakes—especially errors of omission—is highest. That's why it's smart to schedule your pickup on any workday other than Friday.

ONE LAST THING

Finally, never pick up your airplane from maintenance unless you also pick up a signed logbook entry approving the aircraft for return to service—and in the case of an annual inspection, certifying that the aircraft was determined to be in airworthy condition. It is disturbingly common for shops to deliver airplanes to owners after maintenance with an IOU for the paperwork—especially on Fridays.

This can be a nasty trap for aircraft owners, because it sets them up for possible FAA violations. The regulations (specifically FAR 43.9 and 43.11) require mechanics to prepare and sign logbook entries whenever they perform maintenance on an aircraft, but do not impose any timeliness requirement for doing this. A mechanic can take three hours, three days, or three months to prepare this paperwork without violating any regulation. But if the owner flies the airplane before the logbook entry is made and signed off, the owner is in violation of FAR 91.407. Be warned, and never accept an IOU for a logbook entry. **AOPA**

MIKE BUSCH is an A&P/IA.

EMAIL mike.busch@savvyaviator.com

▶ www.savvyaviation.com



Accurate Aircraft Values

Just A Click Away

vref
AIRCRAFT VALUE REFERENCE

1-800-773-8733
vrefpub.com

The Official Aircraft Price Guide of AOPA